

## **Compliance & Transparency - Petroleum CTP 3.0**

### **Supported Standards Manual**

Lists the standards supported by CTP 3.0 for list printing, compliance analysis and documentation

## Notes

---

© Copyright 2017-2021 QuantityWare GmbH. All rights reserved.

*SAP, R/3, mySAP, mySAP.com, xApps, xApp, SAP NetWeaver, and other SAP products and services mentioned herein as well as their respective logos are trademarks or registered trademarks of SAP AG in Germany and in several other countries all over the world. All other product and service names mentioned are the trademarks of their respective companies.*

*Microsoft, Windows, SQL-Server, Powerpoint and Outlook are registered trademarks of Microsoft Corporation.*

*These materials and the information therein are subject to change without notice. These materials are provided by the company QuantityWare GmbH for informational purposes only. There is no implied representation or warranty of any kind, and QuantityWare GmbH shall not be liable for errors or omissions with respect to the materials provided. The only warranties for the products and services of QuantityWare GmbH are those set forth in the express warranty statements accompanying such products and services, if any. No statement within this document should be construed as constituting an additional warranty.*

The latest version of this documentation can be found in the QuantityWare [Knowledge Base](#). All documentation is kept current for the combinations of latest BCS release with the latest supported SAP Oil & Gas release. For all currently supported combinations see [Note #000086 "Support and Release \(Lifecycle\) details"](#) page 2, "Release Lifecycle".

Your release level can be determined via:

"/o/QTYW/COCKPIT" -> "Cockpit" -> "Support Package Level"

# Contents

---

- COMPLIANCE & TRANSPARENCY - PETROLEUM CTP 3.0 ..... I
  
- SUPPORTED STANDARDS MANUAL ..... I
  - Notes ..... ii
  - Contents ..... iii
  - Version History ..... iv
  
  - Compliance & Transparency - Petroleum – Supported Standards ..... 1
    - Standards Defining the Calculation Model ..... 2
    - Standards Defining Temperature and Pressure Corrections – CTPL Standards 2
    - Standards Defining Conversions between Mass and Weight..... 4
    - Standards Defining UoM Conversion Factors ..... 4
  
  - Supported Standards – Installation Test.....5

## Version History

---

BCS 3.0 CSP01 v00	31.03.2017	Initial Release
	11.11.2017	S/4HANA 1709 validity added, support of ISO 91:2017, ISO 6578-2017, ASTM D1555(M)-16 added
	17.02.2019	S/4HANA 1809 validity added, support of ASTM D1550-2018 and ASTM D2962-10(2019) added
	20.11.2019	S/4HANA 1909 validity added
	17.07.2020	Editorial update
	15.02.2021	Support of MS-19 Fourth Edition – Basic Asphalt Manual – Emulsified Asphalt

## Compliance & Transparency - Petroleum – Supported Standards

---

Bulk product quantity conversions in your SAP Oil & Gas system are defined by four different types of standards. All types of standards are equally relevant and need to be considered for your quantity conversion configuration:

- Standards defining the detailed calculation model – the calculation model is defined within the SAP QCI (modified DIN 51650 without intermediate rounding) and may be enhanced or replaced by customer specific BA<sub>DI</sub> implementations in your systems
- Standards defining Correction factors due to effects of Temperature and Pressure on Liquid product volumes – CTPL standards
- Standards defining conversion factors between mass and weight - this calculation is defined within the SAP QCI (air buoyancy model – DIN 51757) and may be enhanced or replaced by customer specific BA<sub>DI</sub> implementations in your systems
- Standards defining conversion factors between units of measure (UoM) of the same quantity/dimension

CTP 3.0 provides implementation procedures that are based on the standards listed in the following chapters. Using these implementations, you can:

- Print detailed lists via the Petroleum Measurement Cockpit to analyze your existing SAP QCI configurations
- Perform a detailed compliance analysis for all four types of your standard implementations listed above
- Define online documentation of your existing implementations based on this analysis

### Standards Defining the Calculation Model

1. DIN 51650-06
2. API MPMS Chapter 12

The DIN 51650 model is typically in use in SAP QCI installed base systems. A simplified S&W calculation based on API MPMS Chapter 12 is also available, which does not distinguish between gross and net UoM (volumes, masses and weights). During CTP 3.0 implementation, a detailed analysis of your SAP QCI implementations – with focus on existing SAP QCI BAdI implementations - should be performed, and the result should be documented in the CTP 3.0 conversion group documentation.

### Standards Defining Temperature and Pressure Corrections – CTPL Standards

1. ISO 91:2017
2. API MPMS Chapter 9.1 – ASTM D1298-99
3. API MPMS Chapter 11.1 – 2019 – ASTM D1250-19 (including Addendum 2)
4. API MPMS Chapter 11.1 – 2004 – ASTM D1250-04 (including Addendum 1)
5. API MPMS Chapter 11.1 – 1980 – ASTM D1250-80 (including 1984 and 1988 revisions)
6. Petroleum Measurement Tables 1952 – Historical Edition – ASTM D1250-52: Table 6
7. API MPMS Chapter 11.2.1(M)
8. API MPMS Chapter 11.2.2(M)
9. API MPMS Chapter 11.2.4 – second edition - GPA 8217 – 2019
10. API MPMS Chapter 11.2.4 – first edition - GPA TP-27
11. API MPMS Chapter 11.2.5 – GPA TP-15
12. API MPMS Chapter 11.3.3 – 2015
13. API MPMS Chapter 11.3.3 – 2011
14. QuantityWare extension of GPA TP-27 for 20 °C (and other base temperatures)
15. GPA TP-25
16. QuantityWare extension of GPA TP-25 for 15 °C and 60 °F
17. ASTM D1555-16
18. ASTM D1555M-16
19. ASTM D1555M-08
20. ASTM D1555-09
21. ASTM D1555-04a
22. ASTM D1555M-04a
23. ASTM D1550-18

24. ASTM D1550-94(15)
25. ASTM D4311-15
26. QuantityWare extension for 20 °C base temperature of ASTM D4311-15
27. ASTM D4311-09
28. QuantityWare extension for 20 °C base temperature of ASTM D4311-09
29. ASTM D4311-04
30. ASTM D633-11(16)
31. ASTM D633-97(05)
32. ASTM D2962-10(19)
33. ASTM D2962-97(07)
34. ABNT NBR 5992-08
35. ABNT NBR 5992-80
36. Bol. téc. PETROBRAS, Rio de Janeiro, 43 (1): 11-18, jan./mar. 2000
37. BS EN 14214:2012
38. Linear density correction factor (DCF) calculation
39. Linear volume correction factor (VCF) calculation
40. DIN 51757-11
41. DIN 51757-94
42. ISO 6578:2017 – LPG
43. ISO 6578:1991 – LPG
44. C.N.P. 6 – 70 Tabela 2
45. ISO 91-1:1992<sup>1</sup>
46. ISO 91-2:1991
47. ISO 3675:1998
48. MS-19 Emulsified Asphalt – fourth edition, Basic Asphalt Manual

The Petroleum Measurement Cockpit enables list printing (Online and PDF documents) or online test calculations for all standards noted above, supporting a detailed comparison analysis with your existing legacy CTPL implementations.

---

<sup>1</sup> Support of historical 1953 metric edition - Tables 53 and 54 for LPG - not included

### Standards Defining Conversions between Mass and Weight

1. API MPMS Chapter 11.5 - ASTM D1250-08(13)<sup>e1</sup>
2. Petroleum Measurement Tables Volume XI/XII - ASTM D1250-80: Tables 8, 26, 56
3. Petroleum Measurement Tables 1952 - Historical Edition – ASTM D1250-52: Table 11
4. DIN 51757-11
5. DIN 51757-94

The Petroleum Measurement Cockpit enables list printing (Online and PDF documents) or online test calculations for all standards noted above, supporting a detailed comparison analysis with your existing legacy implementations.

### Standards Defining UoM Conversion Factors

1. API MPMS Chapter 15 – Guidelines for the Use of the International System of Units (SI) in the Petroleum and Allied Industries
2. API MPMS Chapter 11.5 – Annex D - ASTM D1250-08(13)<sup>e1</sup>
3. Petroleum Measurement Tables Volume XI/XII - ASTM D1250-80: Table 1
4. IEEE/ASTM SI 10<sup>TM</sup> – American National Standard for the Use of the International System of Units (SI): The Modern Metric System (2002)
5. NIST – Guide for the Use of the International System of Units (SI) - Special Publication 811 – 2008
6. BIPM – Le Système international d’unités (SI) – 2006

The Petroleum Measurement Cockpit enables list printing (Online and PDF documents) for all standards noted above and provides an automated compliance analysis tool to define an automated UoM compliance test for your existing UoM configuration.




## Supported Standards – Installation Test


The Petroleum Measurement Cockpit (PMC) allows easy identification of QuantityWare BCP 3.0 template conversion groups per assigned measurement standards. For all standard implementations, QuantityWare delivers an individual installation test. Each test is implemented as a SAP test report, which typically executes two test cases. The CTP 3.0 installation test is identical with the BCP 3.0 installation test and is the sum of:

- ➔ All individual installation tests
- ➔ Additional integration test reports
- ➔ 1500 test scenarios

The CTP 3.0 installation test is executed with one click from the PMC and is to be performed only in the QuantityWare template client 045, in one dedicated system in your system landscape. Execution of the installation test is started while logged on to the CTP 3.0 template client (045), where you simply click on “Run Installation Test” in tab strip “Test Tools” of the PMC:



If the test is executed successfully, you see the following list:



**Measurement Cockpit: Run QuantityWare Installation Test**

Export to PDF Information

### Installation Test Results

Bulk Calculations / Compliance & Transparency - Petroleum

System/client: QOI/055  
Date time: 25.01.2017 15:33:06


- Test programs
  - Success
- Scenarios
  - Success

Description	Value	Comment	Comment
<b>Test programs</b>		Test log written	
Executed	0051		
Differences detected	0000		
<b>Scenarios</b>		Test log written	No Scenario logs or snapshots written
Executed	1500		
Differences detected	0000		

SAP >> | QOI (1) 055 | Orange3 | INS |

If you want to execute a single test for a specific standard, you can access all tests from this list. All tests are designed in the same way to ensure seamless control of the tests by measurement experts.

▲ *If you log on to a client where the QuantityWare BC set has not been activated, you will not have access to the installation tests via the Petroleum Measurement Cockpit – without the configuration template delivered with the BC set, the installation test will run with errors due to missing configuration.*



More details can be found in the CTP 3.0 Documentation Reference Manual.

▲ *After the CTP 3.0 installation test usage key has expired (or if you log on to a client where the QuantityWare BC set has not been activated), you will also no longer have access to the installation tests via the Petroleum Measurement Cockpit in template client 045.*

As a CTP customer, you obtain a temporary usage key to execute these automated tests in your client 045 immediately after CTP 3.0 installation. Once the usage key has expired, you can still access the complete CTP 3.0 template configurations, but test calculations using BCP 3.0 conversion groups are no longer possible. As a CTP customer, you have chosen to rely on your proven legacy SAP QCI conversion groups, utilizing the CTP capabilities “on top” of these legacy conversion groups.

In your implementation project, you then enhance the existing SAP QCI legacy conversion groups (online documentation, range checks, quantity value synchronization and definition of automated test scenarios). Details can be found in the CTP 3.0 PAIG Document.